


**Britax**

*Safe-n-Sound™*

**3 - Bar Gated Buckle**  
**(50mm) (Locking Clip)**

**Provides improved stability  
when used with your  
Child Restraint.**

**Use only with  
Child Harness  
or with  
Child Restraint.**




**Re-Order Number 0210 (single pk.)**

**Re-Order Number 0215 (10 pk.)**


## HOW TO INSTALL

Before installing the restraint join the lap-sash seat belt by using the 3-Bar Gated Buckle.




### **Important:**

Face the hollow side of the Gated Buckle towards the restraint.



**A.** Hold the lap & sash straps together & fold as shown left. Slide the inner strap into the Gated Buckle followed by the outer strap.


Hollow side




**B.** The two straps should slide freely in the Gated Buckle slot.

## HOW TO INSTALL


- C.** Repeat previous step A for the other slot in the Gated Buckle.



- D.** Feed the straps through the Gated Buckle to remove any slack.



Hollow side  
towards  
restraint.



Use this seat belt configuration to install the child restraint according to the child restraint manufacturers instructions.

**REMOVE THE GATED BUCKLE FROM THE SEAT BELT AS SOON AS THE CHILD RESTRAINT IS REMOVED.**

# **Britax**



## **WHO TO CONTACT**



### **AUSTRALIA**

Britax Childcare Pty Ltd

A.C.N. 006 773 600

Head Office: 99 Derby Road, Sunshine,  
Victoria, 3020 Australia.

Phone: (03) 9288 7288

Fax: (03) 9311 5798.

Customer Service : 1300 303 330

### **NEW ZEALAND**

Britax Childcare NZ Limited

PO Box 100-247 Auckland 9

Phone: (09) 443 0102

Fax: (09) 443 0120

**P/N 2200058**