




## CLICK & GO TRAVEL STAND

TO ACCOMMODATE BASSINETS/CARRY COTS  
AND INFANT CARRIERS WITH INTEGRATED  
CLICK & GO ADAPTERS

INSTRUCTION MANUAL



IMPORTANT: KEEP THIS BOOKLET IN A SAFE PLACE FOR FUTURE REFERENCE

Series No. PF1050

# WARNINGS

---

RETAIN FOR FUTURE REFERENCE.

READ ALL INSTRUCTIONS CAREFULLY BEFORE ASSEMBLY AND USE OF THIS TRAVEL STAND. ALWAYS FOLLOW THE INSTRUCTIONS. THE CORRECT USE AND MAINTENANCE OF THIS PRODUCT IS ESSENTIAL.



## **WARNINGS:** TO PREVENT SERIOUS INJURY OR DEATH:

- DO NOT USE THE TRAVEL STAND ONCE THE CHILD IN THE CARRY COT/BASSINET BEGINS TO PUSH UP ON HANDS AND KNEES.
- DO NOT USE THE TRAVEL STAND ONCE THE CHILD HAS REACHED THE MANUFACTURER'S RECOMMENDED MAXIMUM WEIGHT FOR THE CARRY COT/BASSINET OR INFANT CARRIER/CAR SEAT.
- USE THE TRAVEL STAND ON FLAT STABLE SURFACES ONLY.
- USE THE TRAVEL STAND ON FIRM GROUND WHICH IS HORIZONTAL, LEVEL AND DRY.
- DO NOT ELEVATE THE TRAVEL STANDS ON ANY STRUCTURE OR TABLE.
- DO NOT LET OTHER CHILDREN PLAY UNATTENDED NEAR THE CARRY COT AND STAND.
- DO NOT USE ANY ACCESSORIES OTHER THAN THOSE APPROVED FOR USE WITH THIS TRAVEL STAND BY BRITAX.
- DO NOT USE IF ANY PART IS BROKEN, TORN OR MISSING.
- IT IS UNSAFE TO USE ACCESSORIES NOT APPROVED FOR USE WITH THIS TRAVEL STAND.

## IMPORTANT NOTES

---

- THESE INSTRUCTIONS ARE FOR INSTALLING AND REMOVING THE CARRY COT/BASSINET OR INFANT CARRIER/CAR SEAT ON THE TRAVEL STAND ONLY.
- FOR PROPER USE OF THE CARRY COT/BASSINET OR INFANT CARRIER /CAR SEAT, PLEASE FOLLOW THE INSTRUCTION BOOK PROVIDED WITH THE CARRY COT/BASSINET OR INFANT CARRIER/CAR SEAT.

# IMPORTANT NOTES

---

- THE TRAVEL STAND IS NOT INTENDED TO BE USED WITH A BASSINET/ CARRY COT OR INFANT CARRIER/CAR SEAT FOR PROLONGED PERIODS OF SLEEPING.
- DO NOT PLACE MORE THAN 5KG IN THE STORAGE BASKET.
- **THE TRAVEL STAND CAN BE USED WITH THE FOLLOWING CARRY COTS/BASSINETS AND INFANT CARRIERS WITH INTEGRATED CLICK & GO ADAPTERS:**
  1. BRITAX AFFINITY CARRY COT SERIES NO.BR-WG-A-0063
  2. BRITAX CLICK & GO BASSINET SERIES NO. PB2001
  3. BRITAX AFFINITY UNITY INFANT CARRIER (PRODUCT CODES 2257, 2258, 2259, 2260 & 2261 ONLY)
  4. BRITAX SAFE N SOUND UNITY INFANT CARRIER WITH BOB FASHION (PRODUCT CODE 2252 ONLY)
  5. SAFE N SOUND UNITY INFANT CARRIER (PRODUCT CODES 2248 & 2249 ONLY)
  6. BRITAX BABY SAFE SLEEPER - **THIS PRODUCT IS MANUFACTURED FOR BRITAX UNITED KINGDOM & IRELAND AND BRITAX ROMER (EUROPE) AND IS NOT AVAILABLE FOR PURCHASE IN AUSTRALIA.**
  7. BRITAX B-SAFE CAR SEAT - **THIS PRODUCT IS MANUFACTURED FOR BRITAX USA AND IS NOT AVAILABLE FOR PURCHASE IN AUSTRALIA.**

## CARE AND MAINTENANCE


---

- Always check parts regularly for tightness of screws, nuts, and other fasteners - tighten if required. To maintain the safety of your nursery product, seek prompt repairs for bent, torn, worn or broken parts.


**THIS PRODUCT IS NOT INTENDED FOR COMMERCIAL USE.**

# PARTS LIST


---



2 x Leg Tube sets



2 x Receiver Mouldings -  
1 Left & 1 Right







1 x Basket

# TRAVEL STAND ASSEMBLY

## LEG TUBE ASSEMBLY

**Important Note:** The groove on the leg tubes must be facing inwards and the Britax logo on the receiver moulding must be facing outward.





1. Insert the receiver moulding onto the leg tube and push down until the moulding is close to the locking pin on the leg tube.
2. Press the locking pin in and then slowly push the receiver down until the pin has fully engaged through the hole on the receiver.
3. Repeat steps to connect receiver moulding to the right hand side of the leg tube set.



# TRAVEL STAND ASSEMBLY

---

4. Now insert the second leg tube set into the receiver mouldings.
5. Press the locking pin in and then slowly push each receiver down until the pin has fully engaged through the hole on the receiver.
6. The leg tube assembly is now complete.



# TRAVEL STAND ASSEMBLY





---

## ATTACHING THE BASKET

### IMPORTANT NOTE:





DO NOT PLACE MORE THAN 5KG IN THE STORAGE BASKET.

1. Attach the basket to the travel stand by threading the webbing strap on each corner of the basket through the D-Rings on each of the leg tube sets, pull the strap tight, then press the loop strip on the strap onto the hook strip on the basket to secure.
2. The basket assembly is now complete.



# TO UNFOLD THE TRAVEL STAND

1. Press in both right and left folding release buttons on the inside of the receiver mouldings at the same time.
2. Slightly tilt the travel stand forwards and pull the rear legs backward until the legs are fully opened and locked.
3. To confirm they are locked into position, try and push legs together.





# TO USE THE TRAVEL STAND

---

## FITTING THE CARRY COT/BASSINET ON THE TRAVEL STAND


BRITAX AFFINITY CARRY COT SERIES NO. BR-WG-A-0063

BRITAX CLICK & GO BASSINET SERIES NO. PB2001

### **WARNINGS:**

- ALWAYS REMOVE YOUR CHILD FROM THE CARRY COT/BASSINET BEFORE FITTING THE CARRY COT/BASSINET TO THE TRAVEL STAND.
- YOU MUST REFER TO THE CARRY COT/BASSINET INSTRUCTIONS REGARDING PLACING AND SECURING YOUR CHILD IN THE CARRY COT/BASSINET.
- DO NOT LIFT THE TRAVEL STAND BY THE CARRY COT/BASSINET.

1. Lift the carry cot/bassinet above the travel stand and locate the adapters on the carry cot/bassinet with the receivers on the travel stand.
2. Lower the carry cot/bassinet until it engages into the receivers on both sides of the travel stand and push down until an audible 'click' is heard. Ensure the carry cot/bassinet is securely connected to the travel stand by pulling upwards on the carry cot/bassinet handle.




# TO USE THE TRAVEL STAND

## REMOVING THE CARRY COT/BASSINET FROM THE TRAVEL STAND

BRITAX AFFINITY CARRY COT SERIES NO. BR-WG-A-0063  
BRITAX CLICK & GO BASSINET SERIES NO. PB2001

### **WARNINGS:**

- ALWAYS REMOVE YOUR CHILD FROM THE CARRY COT/BASSINET BEFORE REMOVING THE CARRY COT/BASSINET FROM THE TRAVEL STAND.
  - THE CARRY COT/BASSINET MUST BE REMOVED FROM THE TRAVEL STAND BEFORE FOLDING.
  - DO NOT LIFT THE TRAVEL STAND BY THE CARRY/COT BASSINET.
1. Use both hands to pull the release levers up on the carry cot/bassinet adapters which are situated on both sides of the carry cot/bassinet and then lift the carry cot/bassinet away from the travel stand.




# TO USE THE TRAVEL STAND

## FITTING THE UNITY INFANT CARRIER ON THE TRAVEL STAND

### **WARNINGS:**

- **YOU MUST REFER TO THE INFANT CARRIER INSTRUCTIONS REGARDING PLACING AND SECURING YOUR BABY IN THE INFANT CARRIER.**
  - **THE CHILD MUST BE SECURED IN THE INFANT CARRIER AT ALL TIMES.**
  - **DO NOT LEAVE CHILDREN IN THE INFANT CARRIER FOR EXTENDED PERIODS.**
1. Lift the infant carrier above the travel stand and locate the adapters on the infant carrier with the receivers on the travel stand.
  2. Lower the infant carrier until it engages into the receivers on both sides of the travel stand and push down until an audible 'click' is heard. Ensure the infant carrier is securely connected to the travel stand by pulling upwards on the infant carrier handle.



# TO USE THE TRAVEL STAND


---

## REMOVING THE UNITY INFANT CARRIER FROM THE TRAVEL STAND.

### **WARNINGS:**

- THE INFANT CARRIER MUST BE REMOVED FROM THE TRAVEL STAND BEFORE FOLDING.
- DO NOT LIFT THE TRAVEL STAND BY THE INFANT CARRIER.

1. Use both hands to pull the release levers up on the infant carrier adapters which are located on both sides of the infant carrier and then lift the infant carrier away from the travel stand.



# TO USE THE TRAVEL STAND


---

## FITTING THE BABY-SAFE SLEEPER ON THE TRAVEL STAND

THIS PRODUCT IS NOT AVAILABLE FOR PURCHASE IN AUSTRALIA.

### **WARNINGS:**

- **YOU MUST FOLLOW THE INSTRUCTIONS AND WARNINGS SUPPLIED WITH YOUR BABY-SAFE SLEEPER.**
  - **YOU MUST REFER TO THE BABY-SAFE SLEEPER INSTRUCTIONS REGARDING PLACING AND SECURING YOUR CHILD IN THE BABY-SAFE SLEEPER.**
1. Lift the Baby-Safe Sleeper above the travel stand and locate the locking latches on the Baby-Safe Sleeper with the receivers on the travel stand.
  2. Lower the Baby-Safe Sleeper until it engages into the receivers on both sides of the travel stand and push down until an audible 'click' is heard. Ensure the carry cot is securely connected to the travel stand by pulling upwards on the carry cot handle.



# TO USE THE TRAVEL STAND


---

## REMOVING THE BABY-SAFE SLEEPER FROM THE TRAVEL STAND

### **WARNINGS:**

- THE INFANT CAR SEAT MUST BE REMOVED FROM THE TRAVEL STAND BEFORE FOLDING.
- DO NOT LIFT THE TRAVEL STAND BY THE INFANT CAR SEAT.

1. Push the safety slide on the carry handle to the side and press the release button on the carry handle and then lift the baby safe-sleeper until the locking latches are released from the travel stand receivers.




# TO USE THE TRAVEL STAND

---

## FITTING THE B-SAFE INFANT CAR SEAT ON THE TRAVEL STAND

### **WARNINGS:**

- **YOU MUST FOLLOW THE INSTRUCTIONS AND WARNINGS SUPPLIED WITH YOUR B-SAFE INFANT CAR SEAT.**
  - **YOU MUST REFER TO THE B-SAFE INFANT CAR SEAT INSTRUCTIONS REGARDING PLACING AND SECURING YOUR CHILD IN THE B-SAFE INFANT CAR SEAT.**
1. Lift the B-Safe infant car seat above the travel stand and locate the adapters on the infant car seat with the receivers on the travel stand.
  2. Lower the B-Safe infant car seat until it engages into the receivers on both sides of the travel stand and push down until an audible 'click' is heard. Ensure the infant car seat is securely connected to the travel stand by pulling upwards on infant car seat handle.



# TO USE THE TRAVEL STAND


---

## REMOVING THE B-SAFE INFANT CAR SEAT FROM THE TRAVEL STAND.

### **WARNINGS:**

- THE INFANT CAR SEAT MUST BE REMOVED FROM THE TRAVEL STAND BEFORE FOLDING.
- DO NOT LIFT THE TRAVEL STAND BY THE INFANT CAR SEAT.

1. Use both hands to pull the release levers up on the infant car seat adapters which are located on both sides of the car seat and then lift the infant car seat away from the travel stand.









# TO FOLD THE TRAVEL STAND

---

1. Press in both right and left folding release buttons on the inside of the receiver mouldings at the same time.
2. Place your foot on the rear base and pull the front legs in towards the back legs.
3. When both leg tube sets have folded together, let go of the release buttons.



**youtube.com/britaxaustralia**



**facebook.com/britaxaustralia**



**twitter.com/britaxaustralia**



**pinterest/britaxaustralia**



**britax.com.au**



**1300 303 330**



BRITAX CHILDCARE PTY. LTD.  
A Britax International Company  
ABN 55 006 773 6000  
99 Derby Road Sunshine  
Victoria 3020 Australia  
Britax Childcare Pty Ltd  
(Customer Service 1300 303 330)  
Britax Childcare (NZ) Ltd  
(Customer Service 0508 688 822)

Due to the variations in style and design of our products, the illustrations used in this instruction booklet are generic. We reserve the right to alter these products without notice. The Britax Trademark is the property of Britax Childcare Holdings Limited - UK.

© 2014 Copyright Britax Childcare Pty. Ltd. Australia

Art No. 4001802\_C