

BASSINET

WITH CLICK AND GO ATTACHMENT

INSTRUCTION MANUAL



IMPORTANT: KEEP THIS BOOKLET IN A SAFE PLACE FOR FUTURE REFERENCE

WARNINGS

RETAIN FOR FUTURE REFERENCE.

READ ALL INSTRUCTIONS CAREFULLY BEFORE ASSEMBLY AND USE OF THIS BASSINET. ALWAYS FOLLOW THE INSTRUCTIONS. THE CORRECT USE AND MAINTENANCE OF THIS PRODUCT IS ESSENTIAL.

WARNINGS:

- · DO NOT USE THE BASSINET ONCE THE CHILD CAN SIT UP.
- IT IS UNSAFE TO USE ACCESSORIES NOT APPROVED FOR USE WITH THIS BASSINET.
- DO NOT USE ANY ACCESSORIES OTHER THAN THOSE APPROVED FOR USE WITH THIS BASSINET BY BRITAX.
- THE MAXIMUM WEIGHT OF THE CHILD USING THIS PRODUCT IS NOT TO EXCEED 9KGS.

IMPORTANT NOTES

- THE BASSINET CAN BE USED ON THE FOLLOWING STROLLERS:
- 1. BOB MOTION STROLLER SERIES WHEN USED IN CONJUNCTION WITH #39577 AGILE CLICK & GO RECEIVERS (SOLD SEPARATELY).
- 2. BOB REVOLUTION SE STROLLER & BOB IRONMAN STROLLER WHEN USED IN CONJUNCTION WITH #CS1110 BOB INFANT CARRIER ADAPTER (SOLD SEPARATELY).
- 3. STEELCRAFT AGILE/AGILE PLUS STROLLER SERIES WHEN USED IN CONJUNCTION WITH #39577 AGILE CLICK & GO RECEIVERS (SOLD SEPARATELY).
- STEELCRAFT STRIDER COMPACT STROLLER SERIES WHEN USED IN CONJUNCTION WITH #39580 STRIDER CLICK & GO RECEIVERS (SOLD SEPARATELY).
- 5. BRITAX E-BRAKE STROLLER SERIES WHEN USED IN CONJUNCTION WITH THE STRIDER CLICK AND GO RECEIVERS SUPPLIED WITH THE STROLLER.
- 6. BRITAX AFFINITY STROLLER SERIES.

IMPORTANT NOTES

- REMOVE THE *STROLLER SEAT OR *INFANT CARRIER FROM THE STROLLER FRAME BEFORE FITTING BASSINET WHERE NECESSARY.
- ALWAYS REMOVE YOUR CHILD FROM THE BASSINET BEFORE FITTING OR REMOVING FROM THE STROLLER FRAME.
- THE BASSINET MUST ALWAYS FACE TOWARDS THE HANDLE OF THE STROLLER.
- THE BASSINET MUST BE REMOVED FROM THE FRAME BEFORE FOLDING.
- · DO NOT LIFT THE STROLLER BY THE BASSINET.
- * PLEASE REFER TO THE INSTRUCTION MANUAL SUPPLIED WITH YOUR STROLLER OR INFANT CARRIER.

MANUAL HANDLING TECHNIQUES

The **SMART** lifting technique

This technique can be used to pick up small light loads from low levels.

Size up the Load

- · Assess the load (size, shape and weight).
- Assess whether the load needs to be moved;
- Where is it going to be placed" Check that there are no obstructions;
- · Assess whether mechanical or human assistance is required.

Move the Load as close to the body as possible

- · A load is heavier to lift or carry if it is not close to the body.
- The whole hand should be used to ensure a firm grip.

Always bend your knees

- · Maintain balance.
- · Keep feet apart and in a comfortable position.
- Minimise lower back bending.
- Bend knees preferable at as large an angle as possible but not at a right angle use a semi squat in preference to a full squat.

Raise the load with your legs

- Achieve the lift smoothly and without jerkiness.
- Maintain the normal curvature of the spine to allow the force of the load to be distributed evenly from the spine to the pelvis.

Turn your feet in the direction that you want to move the load.

- Avoid unnecessary bending, twisting and reaching.
- · Change direction by turning your feet and not your back.
- · To set the load down, squat down, keep your head up and let
- Let your legs do the work.

Remember to 'THINK TALL' chest lifted, shoulders relaxed, chin tucked in and head level.

PARTS LIST



1 x Bassinet Frame



1 x Bassinet Mattress



1 x Bassinet Liner



1 x Bassinet Boot Cover

BASSINET ASSEMBLY

- A Locate the straps in the centre of the frame support rods and pull the straps outwards until each rod slides and locks under the clips.
- B Gently push the upper frame of the bassinet downwards to check that the frame support rods are engaged securely under the frame clips.






C Place the bassinet liner in the bassinet and pull it over each corner of the frame. Ensure the body band is laying on the surface of the liner.




BASSINET ASSEMBLY

- D Fasten hook and loop tabs on each side of the bassinet liner around each of the handle mouldings.
- E Put the mattress into the bassinet and place the body band on the top surface of the mattress.
- F Attach the hook tabs located on both sides of the canopy and on the back of the canopy to the loop tabs on the bassinet.







BODY BAND & D-RING ATTACHMENTS

A Place your baby in the bassinet. Place the baby band around your baby's abdomen close to the body without constricting the baby and carefully fasten the two sides of the body band with the hook and loop strips. D-Rings are installed on the base of the bassinet for use of an optional baby harness (sold separately). If using a harness D-Ring will need to be inserted through the button holes in the side of the bassinet liner.



BOOT COVER

A Place the bassinet boot cover over the bassinet and attach the book tabs on each side of the boot cover to the loop tab on each side of the canopy.





CANOPY

A To adjust the canopy, press the buttons on both sides of the canopy and swivel the hood into the desired position.



! CAUTION: ENSURE THE CANOPY IS SECURELY ENGAGED BEFORE YOU LIFT THE BASSINET BY THE HANDLE.



FITTING THE BASSINET ON THE STROLLER

PLEASE REFER TO PAGE 4 FOR SMART LIFTING TECHNIQUES

- A Engage the stroller brake. (PLEASE REFER TO THE INSTRUCTION MANUAL PROVIDED WITH YOUR STROLLER.)
- B Install the receivers on the stroller. (PLEASE REFER TO THE INSTRUCTION MANUAL PROVIDED WITH YOUR STROLLER OR THE INSTRUCTION MANUAL PROVIDED WITH YOUR RECEIVERS.)

NOTE: The bassinet can only be installed in the rearward facing position (baby facing mother position) on the stroller.

- C Lift the bassinet above the stroller and locate the Click & Go attachments on the bassinet with the receivers on the stroller.
- D Lower the bassinet until it engages into the receivers on both sides of the stroller and push down until an audible 'click' is heard.
- E Ensure the bassinet is securely connected to the stroller by pulling up on the canopy handle.



REMOVING THE BASSINET FROM THE STROLLER

PLEASE REFER TO PAGE 4 FOR SMART LIFTING TECHNIQUES

A Use both hands to pull the left and right lever of the adapter on the bassinet upwards and lift the bassinet away from the stroller.

CARE AND MAINTENANCE

- To prolong the life of your bassinet keep it clean and do not leave it in the direct sunlight for extended periods of time.
- Removable fabric covers and trims may be cleaned using warm water with a household soap or mild detergent. Allow it to dry fully, preferably away from the direct sunlight.
- DO NOT DRY CLEAN, OR USE BLEACH.
- Do not machine wash, tumble or spin dry, unless the care labeling on the product permits these methods.
- Non removable fabric covers and trims may be spot cleaned using a damp sponge with soap or a mild detergent. Allow it to dry completely before folding or storing it away.
- In some climates the covers and trims may be affected by mould and mildew. To help prevent this occurring, do not fold or store the product if it is damp or wet. Always store the product in a well ventilated area.
- Always check parts regularly for tightness of screws, nuts, and other fasteners - tighten if required. To maintain the safety of your nursery product, seek prompt repairs for bent, torn, worn or broken parts.

THIS PRODUCT IS NOT INTENDED FOR COMMERCIAL USE.

youtube.com/britaxaustralia



facebook.com/britaxaustralia



twitter.com/britaxaustralia



pinterest/britaxaustralia



britax.com.au



1300 303 330



BRITAX CHILDCARE PTY. LTD.
A Britax International Company
ABN 55 006 773 6000
99 Derby Road Sunshine
Victoria 3020 Australia
Britax Childcare Pty Ltd
(Customer Service 1300 303 330)
Britax Childcare (NZ) Ltd
(Customer Service 0508 688 822)

Due to the variations in style and design of our products, the illustrations used in this instruction booklet are generic.

We reserve the right to alter these products without notice.

The Britax Trademark is the property of Britax Childcare

Holdings Limited - UK.

This product is designed to comply with Australian and New Zealand standard AS/NZS2088:2013 "Prams and Strollers - Safety Requirements."

©2013 Copyright Britax Childcare Pty. Ltd. Australia